



Performance

Accessibility

Best Practices

SEO



## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0-49    ■ 50-89    ● 90-100



### METRICS

Expand view

■ First Contentful Paint

1.3 s

▲ Largest Contentful Paint


4.2 s

● Total Blocking Time

● Cumulative Layout Shift

66 81 96 75

3.9 s



Show audits relevant to: **All** FCP LCP TBT CLS

INSIGHTS

▲ Document request latency — Est savings of 880 ms

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

- ✓ Avoids redirects
- ✗ Server responded slowly (observed 984 ms)
- ✓ Applies text compression

▲ Use efficient cache lifetimes — Est savings of 2,380 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](#). FCP LCP Unscored

duckdns.org <span>1st Party</span>		2,380 KiB
...wysiwyg/hero-img.png (gcctrade.duckdns.org)	None	1,412 KiB
...wysiwyg/home-main.png (gcctrade.duckdns.org)	None	389 KiB
...wysiwyg/home-exhib2.png (gcctrade.duckdns.org)	None	131 KiB
...wysiwyg/home-exhib3.png (gcctrade.duckdns.org)	None	102 KiB
...wysiwyg/home-exhibition1.jpg (gcctrade.duckdns.org)	None	100 KiB
...wysiwyg/customer3.png (gcctrade.duckdns.org)	None	51 KiB
...wysiwyg/customer-menu-2.png (gcctrade.duckdns.org)	None	49 KiB

66 81 96 75

...wysiwyg/customer-menu-1.png (gcctrade.duckdns.org)	None	20 KiB
...wysiwyg/home_bottom_get_in_touch.png (gcctrade.duckdns.org)	None	19 KiB
...wysiwyg/gc-lan.png (gcctrade.duckdns.org)	None	17 KiB
...wysiwyg/gcc-logo.png (gcctrade.duckdns.org)	None	13 KiB
...wysiwyg/gcc-logo.png (gcctrade.duckdns.org)	None	13 KiB
...wysiwyg/home_top_get_in_touch.png (gcctrade.duckdns.org)	None	13 KiB
...wysiwyg/linkdin.svg (gcctrade.duckdns.org)	None	2 KiB
...wysiwyg/insta.svg (gcctrade.duckdns.org)	None	2 KiB
...wysiwyg/facebook.svg (gcctrade.duckdns.org)	None	1 KiB
...wysiwyg/twitter.svg (gcctrade.duckdns.org)	None	1 KiB

Request	Cache TTL	Transfer Size
---------	-----------	---------------

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP.](#) FCP LCP Unscored

duckdns.org 1st Party

https://gcctrade.duckdns.org	http/1.1
...mage/calendar.css (gcctrade.duckdns.org)	http/1.1
...css/styles-m.css (gcctrade.duckdns.org)	http/1.1
...css/styles.css (gcctrade.duckdns.org)	http/1.1

Request	Cache TTL	Transfer Size
...css/rui.css (gcctrade.duckdns.org)	http/1.1	
...css/search-pager.css (gcctrade.duckdns.org)	http/1.1	
...css/default.css (gcctrade.duckdns.org)	http/1.1	
...css/icons.css (gcctrade.duckdns.org)	http/1.1	
...css/message.css (gcctrade.duckdns.org)	http/1.1	
...css/attachments.css (gcctrade.duckdns.org)	http/1.1	
...css/fileuploader.css (gcctrade.duckdns.org)	http/1.1	
...css/tailwind-generated.css (gcctrade.duckdns.org)	http/1.1	
...requirejs/require.js (gcctrade.duckdns.org)	http/1.1	

66 81 96 75

---

...light/opensans-300.woff2 (gcctrade.duckdns.org)	http/1.1
...regular/opensans-400.woff2 (gcctrade.duckdns.org)	http/1.1
...semibold/opensans-600.woff2 (gcctrade.duckdns.org)	http/1.1
...bold/opensans-700.woff2 (gcctrade.duckdns.org)	http/1.1
...fonts/Luma-Icons.woff2 (gcctrade.duckdns.org)	http/1.1
...wysiwyg/gcc-logo.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/customer-menu-1.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/customer-menu-2.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/customer3.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/gc-lan.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/home-main.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/home_top_get_in_touch.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/home_bottom_get_in_touch.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/home-exhibition1.jpg (gcctrade.duckdns.org)	http/1.1
...wysiwyg/home-exhib2.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/home-exhib3.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/gcc-logo.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/insta.svg (gcctrade.duckdns.org)	http/1.1
...wysiwyg/facebook.svg (gcctrade.duckdns.org)	http/1.1
...wysiwyg/twitter.svg (gcctrade.duckdns.org)	http/1.1
...wysiwyg/linkdin.svg (gcctrade.duckdns.org)	http/1.1
...css/styles-l.css (gcctrade.duckdns.org)	http/1.1
...css/print.css (gcctrade.duckdns.org)	http/1.1
...Blank-Theme-Icons/Blank-Theme-Icons.woff2 (gcctrade.duckdns.org)	http/1.1
...en_US/jquery.js (gcctrade.duckdns.org)	http/1.1
...mage/common.js (gcctrade.duckdns.org)	http/1.1
...mage/dataPost.js (gcctrade.duckdns.org)	http/1.1
...mage/bootstrap.js (gcctrade.duckdns.org)	http/1.1
...core/app.js (gcctrade.duckdns.org)	http/1.1
...js/form-key-provider.js (gcctrade.duckdns.org)	http/1.1

66 81 96 75

---

...js/hide-verification-qty.js (gcctrade.duckdns.org)	http/1.1
...js/autocomplete.js (gcctrade.duckdns.org)	http/1.1
...js/typeahead.js (gcctrade.duckdns.org)	http/1.1
...wysiwyg/hero-img.png (gcctrade.duckdns.org)	http/1.1
...wysiwyg/home_join_meeting_section.png (gcctrade.duckdns.org)	http/1.1
...requirejs/domReady.js (gcctrade.duckdns.org)	http/1.1
...js/jquery-mixin.js (gcctrade.duckdns.org)	http/1.1
...index/count (gcctrade.duckdns.org)	http/1.1
...mage/template.js (gcctrade.duckdns.org)	http/1.1
...modal/confirm.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/widget.js (gcctrade.duckdns.org)	http/1.1
...apply/main.js (gcctrade.duckdns.org)	http/1.1
...knockout/bootstrap.js (gcctrade.duckdns.org)	http/1.1
...renderer/types.js (gcctrade.duckdns.org)	http/1.1
...renderer/layout.js (gcctrade.duckdns.org)	http/1.1
...requirejs/text.js (gcctrade.duckdns.org)	http/1.1
...mage/smart-keyboard-handler.js (gcctrade.duckdns.org)	http/1.1
...mage/mage.js (gcctrade.duckdns.org)	http/1.1
...en_US/underscore.js (gcctrade.duckdns.org)	http/1.1
...knockoutjs/knockout.js (gcctrade.duckdns.org)	http/1.1
...mage/translate.js (gcctrade.duckdns.org)	http/1.1
...js/price-utils.js (gcctrade.duckdns.org)	http/1.1
...js/highlight.js (gcctrade.duckdns.org)	http/1.1
...js/customer-data.js (gcctrade.duckdns.org)	http/1.1
...view/customer-data-mixin.js (gcctrade.duckdns.org)	http/1.1
...js/catalog-add-to-cart.js (gcctrade.duckdns.org)	http/1.1
...js/catalog-add-to-cart-mixin.js (gcctrade.duckdns.org)	http/1.1
...utils/wrapper.js (gcctrade.duckdns.org)	http/1.1
...modal/modal.js (gcctrade.duckdns.org)	http/1.1
...apply/scripts.js (gcctrade.duckdns.org)	http/1.1

66 81 96 75

---

...utils/main.js (gcctrade.duckdns.org)	http/1.1
...registry/registry.js (gcctrade.duckdns.org)	http/1.1
...template/engine.js (gcctrade.duckdns.org)	http/1.1
...bindings/bootstrap.js (gcctrade.duckdns.org)	http/1.1
...extender/observable_array.js (gcctrade.duckdns.org)	http/1.1
...extender/bound-nodes.js (gcctrade.duckdns.org)	http/1.1
...logger/console-logger.js (gcctrade.duckdns.org)	http/1.1
...en_US/js-translation.json (gcctrade.duckdns.org)	http/1.1
...js/section-config.js (gcctrade.duckdns.org)	http/1.1
...mage/url.js (gcctrade.duckdns.org)	http/1.1
...mage/storage.js (gcctrade.duckdns.org)	http/1.1
...js-storage/storage-wrapper.js (gcctrade.duckdns.org)	http/1.1
...view/product-ids-resolver.js (gcctrade.duckdns.org)	http/1.1
...view/product-info-resolver.js (gcctrade.duckdns.org)	http/1.1
...view/product-info-resolver.js (gcctrade.duckdns.org)	http/1.1
...modal/modal-popup.html (gcctrade.duckdns.org)	http/1.1
...modal/modal-slide.html (gcctrade.duckdns.org)	http/1.1
...modal/modal-custom.html (gcctrade.duckdns.org)	http/1.1
...lib/key-codes.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/core.js (gcctrade.duckdns.org)	http/1.1
...jquery/z-index.js (gcctrade.duckdns.org)	http/1.1
...knockoutjs/knockout-repeat.js (gcctrade.duckdns.org)	http/1.1
...knockoutjs/knockout-fast-foreach.js (gcctrade.duckdns.org)	http/1.1
...utils/arrays.js (gcctrade.duckdns.org)	http/1.1
...utils/compare.js (gcctrade.duckdns.org)	http/1.1
...utils/misc.js (gcctrade.duckdns.org)	http/1.1
...utils/objects.js (gcctrade.duckdns.org)	http/1.1
...utils/strings.js (gcctrade.duckdns.org)	http/1.1
...utils/template.js (gcctrade.duckdns.org)	http/1.1
...template/renderer.js (gcctrade.duckdns.org)	http/1.1

66 81 96 75

---

...bindings/scope.js (gcctrade.duckdns.org)	http/1.1
...bindings/range.js (gcctrade.duckdns.org)	http/1.1
...bindings/mage-init.js (gcctrade.duckdns.org)	http/1.1
...bindings/keyboard.js (gcctrade.duckdns.org)	http/1.1
...bindings/optgroup.js (gcctrade.duckdns.org)	http/1.1
...bindings/after-render.js (gcctrade.duckdns.org)	http/1.1
...bindings/autoselect.js (gcctrade.duckdns.org)	http/1.1
...bindings/datepicker.js (gcctrade.duckdns.org)	http/1.1
...bindings/outer_click.js (gcctrade.duckdns.org)	http/1.1
...bindings/fadeVisible.js (gcctrade.duckdns.org)	http/1.1
...bindings/collapsible.js (gcctrade.duckdns.org)	http/1.1
...bindings/staticChecked.js (gcctrade.duckdns.org)	http/1.1
...bindings/simple-checked.js (gcctrade.duckdns.org)	http/1.1
...bindings/bind-html.js (gcctrade.duckdns.org)	http/1.1
...bindings/tooltip.js (gcctrade.duckdns.org)	http/1.1
...bindings/color-picker.js (gcctrade.duckdns.org)	http/1.1
...template/observable_source.js (gcctrade.duckdns.org)	http/1.1
...core/events.js (gcctrade.duckdns.org)	http/1.1
...storage/local.js (gcctrade.duckdns.org)	http/1.1
...logger/logger.js (gcctrade.duckdns.org)	http/1.1
...logger/entry-factory.js (gcctrade.duckdns.org)	http/1.1
...logger/console-output-handler.js (gcctrade.duckdns.org)	http/1.1
...logger/formatter.js (gcctrade.duckdns.org)	http/1.1
...logger/message-pool.js (gcctrade.duckdns.org)	http/1.1
...logger/levels-pool.js (gcctrade.duckdns.org)	http/1.1
...logger/logger-utils.js (gcctrade.duckdns.org)	http/1.1
...view/product-info.js (gcctrade.duckdns.org)	http/1.1
...js-storage/js.storage.js (gcctrade.duckdns.org)	http/1.1
...view/product-ids.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/data.js (gcctrade.duckdns.org)	http/1.1

66 81 96 75

---

...ui-modules/form.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/ie.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/keycode.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/labels.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/jquery-patch.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/plugin.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/safe-active-element.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/safe-blur.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/scroll-parent.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/tabbable.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/unique-id.js (gcctrade.duckdns.org)	http/1.1
...template/loader.js (gcctrade.duckdns.org)	http/1.1
...utils/async.js (gcctrade.duckdns.org)	http/1.1
...spectrum/spectrum.js (gcctrade.duckdns.org)	http/1.1
...spectrum/tinycolor.js (gcctrade.duckdns.org)	http/1.1
...tooltip/tooltip.html (gcctrade.duckdns.org)	http/1.1
...core/class.js (gcctrade.duckdns.org)	http/1.1
...logger/entry.js (gcctrade.duckdns.org)	http/1.1
...en_US/moment.js (gcctrade.duckdns.org)	http/1.1
...jquery/jquery.cookie.js (gcctrade.duckdns.org)	http/1.1
...utils/dom-observer.js (gcctrade.duckdns.org)	http/1.1
...utils/bindings.js (gcctrade.duckdns.org)	http/1.1
...js-cookie/cookie-wrapper.js (gcctrade.duckdns.org)	http/1.1
...js-cookie/js.cookie.js (gcctrade.duckdns.org)	http/1.1
...mage/loader.js (gcctrade.duckdns.org)	http/1.1
...js/page-cache.js (gcctrade.duckdns.org)	http/1.1
...mage/tabs.js (gcctrade.duckdns.org)	http/1.1
...mage/dropdowns.js (gcctrade.duckdns.org)	http/1.1
...js/widget-initializer.js (gcctrade.duckdns.org)	http/1.1
...js/cookie-status.js (gcctrade.duckdns.org)	http/1.1

66 81 96 75

---

...js/invalidation-processor.js (gcctrade.duckdns.org)	http/1.1
...view/authentication-popup.js (gcctrade.duckdns.org)	http/1.1
...checkout/loginCaptcha.js (gcctrade.duckdns.org)	http/1.1
...view/messages.js (gcctrade.duckdns.org)	http/1.1
...js/storage-manager.js (gcctrade.duckdns.org)	http/1.1
...view/messages.js (gcctrade.duckdns.org)	http/1.1
...js/ui-messages-mixin.js (gcctrade.duckdns.org)	http/1.1
...widgets/tabs.js (gcctrade.duckdns.org)	http/1.1
...mage/collapsible.js (gcctrade.duckdns.org)	http/1.1
...element/element.js (gcctrade.duckdns.org)	http/1.1
...model/captchaList.js (gcctrade.duckdns.org)	http/1.1
...action/login.js (gcctrade.duckdns.org)	http/1.1
...form/form.js (gcctrade.duckdns.org)	http/1.1
...model/authentication-popup.js (gcctrade.duckdns.org)	http/1.1
...modal/alert.js (gcctrade.duckdns.org)	http/1.1
...mage/validation.js (gcctrade.duckdns.org)	http/1.1
...templates/block-loader.html (gcctrade.duckdns.org)	http/1.1
...checkout/defaultCaptcha.js (gcctrade.duckdns.org)	http/1.1
...checkout/defaultCaptcha-mixin.js (gcctrade.duckdns.org)	http/1.1
...core/collection.js (gcctrade.duckdns.org)	http/1.1
...js/escaper.js (gcctrade.duckdns.org)	http/1.1
...js/registry.js (gcctrade.duckdns.org)	http/1.1
...images/loader-1.gif (gcctrade.duckdns.org)	http/1.1
...effects/effect-blind.js (gcctrade.duckdns.org)	http/1.1
...storage/storage-service.js (gcctrade.duckdns.org)	http/1.1
...model/messageList.js (gcctrade.duckdns.org)	http/1.1
...element/links.js (gcctrade.duckdns.org)	http/1.1
...lib/spinner.js (gcctrade.duckdns.org)	http/1.1
...requirejs/resolver.js (gcctrade.duckdns.org)	http/1.1
...form/adapter.js (gcctrade.duckdns.org)	http/1.1

66 81 96 75


...model/captcha.js (gcctrade.duckdns.org)	http/1.1
...storage/ids-storage.js (gcctrade.duckdns.org)	http/1.1
...storage/data-storage.js (gcctrade.duckdns.org)	http/1.1
...storage/ids-storage-compare.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/effect.js (gcctrade.duckdns.org)	http/1.1
...model/messages.js (gcctrade.duckdns.org)	http/1.1
...jquery/jquery.metadata.js (gcctrade.duckdns.org)	http/1.1
...invalidation-rules/website-rule.js (gcctrade.duckdns.org)	http/1.1
...adapter/buttons.js (gcctrade.duckdns.org)	http/1.1
...action/refresh.js (gcctrade.duckdns.org)	http/1.1
...product/query-builder.js (gcctrade.duckdns.org)	http/1.1
...ui-modules/jquery-var-for-color.js (gcctrade.duckdns.org)	http/1.1
...jquery-color/jquery.color.js (gcctrade.duckdns.org)	http/1.1
...template/authentication-popup.html (gcctrade.duckdns.org)	http/1.1
...Magento_Theme/favicon.ico (gcctrade.duckdns.org)	http/1.1
...template/messages.html (gcctrade.duckdns.org)	http/1.1
...checkout/captcha.html (gcctrade.duckdns.org)	http/1.1

▲ Improve image delivery — Est savings of 1,971 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP.

[Learn more about optimizing image size](#) FCP LCP Unscored

duckdns.org 1st Party **2,192.8 KiB** **1,971.0 KiB**




Your Trusted Directory for GCC Trading

...wysiwyg/hero-img.png (gcctrade.duckdns.org) 1,411.6 KiB 1,279.8 KiB

```
Search
<section class="hero-banner">
```

Using a modern image format (WebP, AVIF) or increasing the image compression could 1,279.8 KiB

66 81 96 75



```
trading

```

...wysiwyg/home-main.png (gcctrade.duckdns.org)


388.5 KiB 321.9 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

199.1 KiB

This image file is larger than it needs to be (1318x883) for its displayed dimensions (782x524). Use responsive images to reduce the image download size.

251.9 KiB



```
> div.grid > div.bg-white > img.w-full
```

div.m ax-w-[1120px]

...wysiwyg/home-exhib2.png (gcctrade.duckdns.org)

130.3 KiB 123.9 KiB


URL

Protocol

```
src="https://gcctrade.duckdns.org/media/wysiwyg/home-exhib2.png" class="w-full h-[160px] object-cover rounded-lg">
```

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

123.9 KiB



```
white > img.w-full
 div.grid > div.bg-

...wysiwyg/home-exhib3.png (gcctrade.duckdns.org)

102.0 KiB 97.5 KiB

66 81 96 75

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 97.5 KiB




div.m  
ax-  
w-  
[112  
0px]

```
> div.grid > div.bg-white > img.w-full  

```

...wysiwyg/home-exhibition1.jpg (gcctrade.duckdns.org) 99.7 KiB 93.2 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 93.2 KiB




div.c  
olum  
n >  
div >  
secti

```
on.relative > img.w-[220px]  

```

...wysiwyg/home\_bottom\_get\_in\_touch.png (gcctrade.duckdns.org) 19.1 KiB 16.5 KiB

This image file is larger than it needs to be (955x512) for its displayed dimensions (350x188). Use responsive images to reduce the image download size. 16.5 KiB



Lang  
uage  
Icon


...wysiwyg/gc-lan.png (gcctrade.duckdns.org) 16.5 KiB 16.5 KiB

66 81 96 75

```
.org/media//wysiwyg/gc-
lan.png" alt="Language Icon"
class="w-24"
style="height:18px;">
```

This image file is larger than it needs to be (512x512) for its displayed dimensions (23x23). Use responsive images to reduce the image download size.

16.5 KiB




GCC  
Tradi  
ng  
Logo

```

```

This image file is larger than it needs to be (512x110) for its displayed dimensions (233x50). Use responsive images to reduce the image download size.

10.1 KiB



div.c  
olum  
n >  
div >  
secti

```
on.relative > img.w-[100px]

```

...  
wysiwyg/home\_top\_get\_in\_touch.png (gcctrade.duckdns.org)

12.3 KiB

10.8 KiB

This image file is larger than it needs to be

URL

Resource Size

Est Savings

image download size.

▲ Render-blocking requests — Est savings of 780 ms

66 81 96 75

| URL                                                  | Resource Size | Est Savings |
|------------------------------------------------------|---------------|-------------|
| ...css/tailwind-generated.css (gcctrade.duckdns.org) | 45.5 KiB      | 290 ms      |
| ...requirejs/require.js (gcctrade.duckdns.org)       | 85.4 KiB      | 330 ms      |
| ...en_US/requirejs-config.js (gcctrade.duckdns.org)  | 35.4 KiB      | 250 ms      |
| ...requirejs/mixins.js (gcctrade.duckdns.org)        | 7.8 KiB       | 130 ms      |
| ...css/fileuploader.css (gcctrade.duckdns.org)       | 3.1 KiB       | 130 ms      |
| ...css/message.css (gcctrade.duckdns.org)            | 7.0 KiB       | 130 ms      |
| ...css/icons.css (gcctrade.duckdns.org)              | 3.3 KiB       | 130 ms      |
| ...css/attachments.css (gcctrade.duckdns.org)        | 2.5 KiB       | 130 ms      |
| ...css/rtl.css (gcctrade.duckdns.org)                | 4.3 KiB       | 210 ms      |
| ...css/default.css (gcctrade.duckdns.org)            | 0.9 KiB       | 130 ms      |
| ...css/search-pager.css (gcctrade.duckdns.org)       | 9.1 KiB       | 250 ms      |
| ...css/custom-product.css (gcctrade.duckdns.org)     | 1.3 KiB       | 210 ms      |
| ...css/styles.css (gcctrade.duckdns.org)             | 21.5 KiB      | 290 ms      |
| ...css/styles-m.css (gcctrade.duckdns.org)           | 419.9 KiB     | 940 ms      |
| ...mage/calendar.css (gcctrade.duckdns.org)          | 6.7 KiB       | 130 ms      |

▲ Font display — Est savings of 140 ms

| URL                                                                                                       | Transfer Size | Duration    |
|-----------------------------------------------------------------------------------------------------------|---------------|-------------|
| further optimized to mitigate layout shifts with <a href="#">font metric overrides</a> . [FCP] [Unscored] |               |             |
| duckdns.org [1st Party]                                                                                   |               |             |
| ...css/rtl.css (gcctrade.duckdns.org)                                                                     |               | 210 ms      |
| URL                                                                                                       |               | Est Savings |

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn

more about [forced reflows](#) and possible mitigations. Unscored

66 81 96 75

26 ms

**Top function call**

**Total reflow time**

| URL                                                                              | Resource Size | Est Savings |
|----------------------------------------------------------------------------------|---------------|-------------|
| https://gcctrade.duckdns.org/5769/59                                             | 11 ms         |             |
| /scripts/iframe_form_detection.js:23:11815<br>(fheoggkfdfchfphceeifdbepaoaicaho) | 24 ms         |             |
| /scripts/iframe_form_detection.js:23:11890<br>(fheoggkfdfchfphceeifdbepaoaicaho) | 2 ms          |             |
| ...en_US/jquery.js:9961:24 (gcctrade.duckdns.org)                                | 1 ms          |             |
| ...en_US/jquery.js:6591:27 (gcctrade.duckdns.org)                                | 1 ms          |             |
| ...en_US/jquery.js:6455:40 (gcctrade.duckdns.org)                                | 2 ms          |             |
| ...en_US/jquery.js:6463:61 (gcctrade.duckdns.org)                                | 0 ms          |             |
| ...en_US/jquery.js:6474:55 (gcctrade.duckdns.org)                                | 0 ms          |             |

**LCP breakdown**

**Source**

**Total reflow time**

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

|                        |          |
|------------------------|----------|
| Time to first byte     | 990 ms   |
| Resource load delay    | 1,640 ms |
| Resource load duration | 560 ms   |
| Element render delay   | 20 ms    |

**Subpart**

**Duration**



Your trusted Directory for GCC trading Search  
<section class="hero-banner">

**LCP request discovery**

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

fetchpriority=high should be applied

66 81 96 75



Your Trusted Directory for GCC Trading Search  
<section class="hero-banner">

| URL | Resource Size | Est Savings |
|-----|---------------|-------------|
|     |               |             |

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **2,977 ms**

Initial Navigation



...mage/calendar.css (gcctrade.duckdns.org) - 1,193 ms, 6.72 KiB

66 81 96 75

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

### Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.


No additional origins are good candidates for preconnecting

## Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

Unscored

Total 0.002




Join a local platform where vendors and buyers meet. Explore a wide range of hi...

`<p class="text-gray-600 mb-8 sm:mb-10 max-w-[740px] mx-auto" style="font-family: Poppins, sans-serif; font-weight: 400; font-size: 18px;">` 0.002

...v20/UcC73FwrK...woff2 (fonts.gstatic.com)

Web font




EN  
`<div class="flex items-center gap-6 header-actions">`

0.000




Language Icon  
`` Unsized image element

66 81 96 75

|                                                                                   |                                                                                                        |       |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------|
|  | <code>&lt;svg id="hamburgerIcon" class="w-7 h-7" fill="none" stroke="currentColor" viewBox="0 0</code> | 0.000 |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------|

**Element**

**Layout shift score**

|                                                                                   |                                                                                                                                               |                      |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|  | <code>&lt;img src="https://gcctrade.duckdns.org/media/wysiwyg/home-main.png" alt="GCC trading" class="w-full h-auto mt-8 sm:mt-10"&gt;</code> | Unsize image element |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------|

○ 3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

|                                                                                         |                           |               |
|-----------------------------------------------------------------------------------------|---------------------------|---------------|
| fheoggkfdfchfphceeifdbepaoicaho                                                         | 0 KiB                     | 212 ms        |
| chrome-extension://fheoggkfdfchfphceeifdbepaoicaho/scripts/iframe_form_detection.js     | 0 KiB                     | 210 ms        |
| chrome-extension://fheoggkfdfchfphceeifdbepaoicaho/scripts/content_navigate_complete.js | 0 KiB                     | 1 ms          |
| chrome-extension://fheoggkfdfchfphceeifdbepaoicaho/scripts/iframe_form_check.js         | 0 KiB                     | 1 ms          |
| <b>Element</b>                                                                          | <b>Layout shift score</b> | <b>139 ms</b> |
| chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/inpage.js                   | 0 KiB                     | 62 ms         |
| chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/contentscript.js            | 0 KiB                     | 48 ms         |
| chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-install.js         | 0 KiB                     | 19 ms         |
| chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-run.js             | 0 KiB                     | 9 ms          |
| chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-more.js            | 0 KiB                     | 1 ms          |
| chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/disable-console.js          | 0 KiB                     | 0 ms          |
| tailwindcss.com                                                                         | 124 KiB                   | 118 ms        |

66 81 96 75

|                                                                                      | Transfer size        | Main thread time        |
|--------------------------------------------------------------------------------------|----------------------|-------------------------|
| 734.17 (cdn.tanwindecs.com)                                                          | 124 KiB              | 0 ms                    |
| liecbddmkiihnedobmlmillhodjkdmb                                                      | 0 KiB                | 22 ms                   |
| chrome-extension://liecbddmkiihnedobmlmillhodjkdmb/js/recordConsoleEvents.js         | 0 KiB                | 8 ms                    |
| chrome-extension://liecbddmkiihnedobmlmillhodjkdmb/js/recordConsoleEventsInjector.js | 0 KiB                | 8 ms                    |
| chrome-extension://liecbddmkiihnedobmlmillhodjkdmb/js/recordNetworkEventsInjector.js | 0 KiB                | 7 ms                    |
| lahhiofdanbcamemekkminnifoidaelh                                                     | 0 KiB                | 5 ms                    |
| <b>3rd party</b>                                                                     | <b>Transfer size</b> | <b>Main thread time</b> |
| injector.js                                                                          |                      |                         |
| Google Fonts <span>Cdn</span>                                                        | 56 KiB               | 0 ms                    |
| ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)                                        | 47 KiB               | 0 ms                    |
| ...v24/pxiByp8kv....woff2 (fonts.gstatic.com)                                        | 8 KiB                | 0 ms                    |
| /css2?family=... (fonts.googleapis.com)                                              | 1 KiB                | 0 ms                    |

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

### DIAGNOSTICS

#### ▲ Minify JavaScript — Est savings of 1,086 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify](#)

[JavaScript](#) FCP LCP Unscored



Use [Terser](#) to minify all JavaScript assets from static content deployment, and disable the built-in minification feature.

|                                           |                      |                         |
|-------------------------------------------|----------------------|-------------------------|
| duckdns.org <span>1st Party</span>        | 1,857.0 KiB          | 1,086.0 KiB             |
| ...en_US/jquery.js (gcctrade.duckdns.org) | 401.0 KiB            | 261.7 KiB               |
| <b>3rd party</b>                          | <b>Transfer size</b> | <b>Main thread time</b> |

66 81 96 75

|                                                        |          |          |
|--------------------------------------------------------|----------|----------|
| ...requirejs/require.js (gcctrade.duckdns.org)         | 84.6 KiB | 59.5 KiB |
| ...en_US/underscore.js (gcctrade.duckdns.org)          | 73.7 KiB | 41.4 KiB |
| ...spectrum/spectrum.js (gcctrade.duckdns.org)         | 81.5 KiB | 40.3 KiB |
| ...jquery/jquery.validate.js (gcctrade.duckdns.org)    | 69.3 KiB | 38.0 KiB |
| ...mage/validation.js (gcctrade.duckdns.org)           | 73.2 KiB | 32.7 KiB |
| ...ui-modules/effect.js (gcctrade.duckdns.org)         | 36.0 KiB | 21.4 KiB |
| ...spectrum/tinycolor.js (gcctrade.duckdns.org)        | 39.5 KiB | 19.4 KiB |
| ...widgets/tabs.js (gcctrade.duckdns.org)              | 32.0 KiB | 17.1 KiB |
| ...bindings/tooltip.js (gcctrade.duckdns.org)          | 27.2 KiB | 14.9 KiB |
| ...en_US/requirejs-config.js (gcctrade.duckdns.org)    | 34.8 KiB | 14.7 KiB |
| ...ui-modules/widget.js (gcctrade.duckdns.org)         | 26.7 KiB | 14.3 KiB |
| ...js-storage/js.storage.js (gcctrade.duckdns.org)     | 23.8 KiB | 13.2 KiB |
| ...element/element.js (gcctrade.duckdns.org)           | 17.5 KiB | 11.8 KiB |
| ...template/renderer.js (gcctrade.duckdns.org)         | 16.0 KiB | 11.1 KiB |
| ...knockoutjs/knockout-es5.js (gcctrade.duckdns.org)   | 18.2 KiB | 10.6 KiB |
| ...renderer/layout.js (gcctrade.duckdns.org)           | 17.4 KiB | 9.9 KiB  |
| ...registry/registry.js (gcctrade.duckdns.org)         | 12.6 KiB | 9.7 KiB  |
| ...utils/objects.js (gcctrade.duckdns.org)             | 12.8 KiB | 8.9 KiB  |
| ...mage/collapsible.js (gcctrade.duckdns.org)          | 17.5 KiB | 8.4 KiB  |
| ...core/collection.js (gcctrade.duckdns.org)           | 11.9 KiB | 8.0 KiB  |
| ...bindings/optgroup.js (gcctrade.duckdns.org)         | 13.3 KiB | 7.5 KiB  |
| ...modal/modal.js (gcctrade.duckdns.org)               | 14.9 KiB | 7.2 KiB  |
| ...jquery-color/jquery.color.js (gcctrade.duckdns.org) | 17.0 KiB | 6.8 KiB  |
| ...utils/dom-observer.js (gcctrade.duckdns.org)        | 10.5 KiB | 6.7 KiB  |

66 81 96 75

|                                                               |          |         |
|---------------------------------------------------------------|----------|---------|
| ...js/autocomplete.js (gcctrade.duckdns.org)                  | 14.0 KiB | 0.5 KiB |
| ...utils/misc.js (gcctrade.duckdns.org)                       | 9.5 KiB  | 5.8 KiB |
| ...utils/template.js (gcctrade.duckdns.org)                   | 7.4 KiB  | 5.4 KiB |
| ...mage/tabs.js (gcctrade.duckdns.org)                        | 10.1 KiB | 5.4 KiB |
| ...js/page-cache.js (gcctrade.duckdns.org)                    | 9.2 KiB  | 5.3 KiB |
| ...template/engine.js (gcctrade.duckdns.org)                  | 8.9 KiB  | 5.1 KiB |
| ...form/form.js (gcctrade.duckdns.org)                        | 9.1 KiB  | 5.1 KiB |
| ...storage/data-storage.js (gcctrade.duckdns.org)             | 8.5 KiB  | 5.0 KiB |
| ...utils/async.js (gcctrade.duckdns.org)                      | 7.0 KiB  | 4.9 KiB |
| ...requires/mixins.js (gcctrade.duckdns.org)                  | 7.2 KiB  | 4.8 KiB |
| ...storage/storage-service.js (gcctrade.duckdns.org)          | 7.0 KiB  | 4.7 KiB |
| ...knockoutjs/knockout-repeat.js (gcctrade.duckdns.org)       | 9.8 KiB  | 4.6 KiB |
| ...jquery/jquery.metadata.js (gcctrade.duckdns.org)           | 6.1 KiB  | 4.6 KiB |
| ...knockoutjs/knockout-fast-foreach.js (gcctrade.duckdns.org) | 11.4 KiB | 4.4 KiB |
| ...element/links.js (gcctrade.duckdns.org)                    | 7.0 KiB  | 4.0 KiB |
| ...js/storage-manager.js (gcctrade.duckdns.org)               | 7.8 KiB  | 4.0 KiB |
| ...mage/loader.js (gcctrade.duckdns.org)                      | 6.3 KiB  | 3.8 KiB |
| ...js/escaper.js (gcctrade.duckdns.org)                       | 6.5 KiB  | 3.8 KiB |
| ...js/catalog-add-to-cart.js (gcctrade.duckdns.org)           | 7.7 KiB  | 3.6 KiB |
| ...utils/wrapper.js (gcctrade.duckdns.org)                    | 4.6 KiB  | 3.5 KiB |
| ...extender/bound-nodes.js (gcctrade.duckdns.org)             | 5.3 KiB  | 3.5 KiB |
| ...logger/logger.js (gcctrade.duckdns.org)                    | 5.4 KiB  | 3.2 KiB |
| ...utils/arrays.js (gcctrade.duckdns.org)                     | 4.6 KiB  | 3.2 KiB |
| ...storage/local.js (gcctrade.duckdns.org)                    | 4.3 KiB  | 3.2 KiB |

66 81 96 75

|                                                        |         |         |
|--------------------------------------------------------|---------|---------|
| ...utils/compare.js (gcctrade.duckdns.org)             | 5.5 KiB | 5.1 KiB |
| ...bindings/i18n.js (gcctrade.duckdns.org)             | 5.3 KiB | 2.9 KiB |
| ...bindings/collapsible.js (gcctrade.duckdns.org)      | 5.2 KiB | 2.9 KiB |
| ...requires/domReady.js (gcctrade.duckdns.org)         | 4.0 KiB | 2.8 KiB |
| ...template/loader.js (gcctrade.duckdns.org)           | 4.0 KiB | 2.7 KiB |
| ...mage/cookies.js (gcctrade.duckdns.org)              | 4.4 KiB | 2.7 KiB |
| ...requires/resolver.js (gcctrade.duckdns.org)         | 3.9 KiB | 2.6 KiB |
| ...requires/text.js (gcctrade.duckdns.org)             | 4.4 KiB | 2.5 KiB |
| ...core/class.js (gcctrade.duckdns.org)                | 4.0 KiB | 2.5 KiB |
| ...js/price-utils.js (gcctrade.duckdns.org)            | 5.2 KiB | 2.5 KiB |
| ...core/events.js (gcctrade.duckdns.org)               | 3.8 KiB | 2.4 KiB |
| ...js-cookie/js.cookie.js (gcctrade.duckdns.org)       | 4.9 KiB | 2.4 KiB |
| ...checkout/defaultCaptcha.js (gcctrade.duckdns.org)   | 4.9 KiB | 2.4 KiB |
| ...apply/main.js (gcctrade.duckdns.org)                | 3.6 KiB | 2.4 KiB |
| ...model/captcha.js (gcctrade.duckdns.org)             | 3.8 KiB | 2.3 KiB |
| ...bindings/datepicker.js (gcctrade.duckdns.org)       | 3.7 KiB | 2.3 KiB |
| ...apply/scripts.js (gcctrade.duckdns.org)             | 3.4 KiB | 2.2 KiB |
| ...utils/bindings.js (gcctrade.duckdns.org)            | 3.3 KiB | 2.2 KiB |
| ...extender/observable_array.js (gcctrade.duckdns.org) | 3.4 KiB | 2.2 KiB |
| ...bindings/scope.js (gcctrade.duckdns.org)            | 3.3 KiB | 2.2 KiB |
| ...mage/dropdowns.js (gcctrade.duckdns.org)            | 4.2 KiB | 2.0 KiB |
| ...bindings/resizable.js (gcctrade.duckdns.org)        | 4.1 KiB | 2.0 KiB |

▲ Reduce unused CSS — Est savings of 576 KiB



Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease

66 81 96 75

| URL                                                  | Transfer Size    | Est Savings      |
|------------------------------------------------------|------------------|------------------|
| duckdns.org <span>1st Party</span>                   | <b>596.2 KiB</b> | <b>576.0 KiB</b> |
| ...css/styles-m.css (gcctrade.duckdns.org)           | 419.3 KiB        | 406.4 KiB        |
| ...css/styles-l.css (gcctrade.duckdns.org)           | 113.2 KiB        | 113.2 KiB        |
| ...css/tailwind-generated.css (gcctrade.duckdns.org) | 42.7 KiB         | 35.7 KiB         |

▲ Reduce unused JavaScript **Est savings of 925 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP Unscored

| URL | Transfer Size | Est Savings |
|-----|---------------|-------------|
|-----|---------------|-------------|

Show 3rd-party resources (1)

| URL                                                 | Transfer Size      | Est Savings      |
|-----------------------------------------------------|--------------------|------------------|
| duckdns.org <span>1st Party</span>                  | <b>1,241.9 KiB</b> | <b>637.4 KiB</b> |
| ...knockoutjs/knockout.js (gcctrade.duckdns.org)    | 378.9 KiB          | 160.0 KiB        |
| ...en_US/jquery.js (gcctrade.duckdns.org)           | 401.0 KiB          | 155.6 KiB        |
| ...spectrum/spectrum.js (gcctrade.duckdns.org)      | 81.5 KiB           | 61.4 KiB         |
| ...jquery/jquery.validate.js (gcctrade.duckdns.org) | 69.3 KiB           | 59.6 KiB         |
| ...mage/validation.js (gcctrade.duckdns.org)        | 73.2 KiB           | 50.4 KiB         |
| ...en_US/moment.js (gcctrade.duckdns.org)           | 56.9 KiB           | 42.3 KiB         |
| ...widgets/tabs.js (gcctrade.duckdns.org)           | 32.0 KiB           | 29.1 KiB         |
| ...ui-modules/effect.js (gcctrade.duckdns.org)      | 36.0 KiB           | 28.2 KiB         |
| ...spectrum/tinycolor.js (gcctrade.duckdns.org)     | 39.5 KiB           | 26.0 KiB         |
| ...en_US/underscore.js (gcctrade.duckdns.org)       | 73.7 KiB           | 24.7 KiB         |

66 81 96 75

| URL                                                                          | Transfer Size    | Est Savings      |
|------------------------------------------------------------------------------|------------------|------------------|
| chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/contentscript.js | 145.9 KiB        | 82.3 KiB         |
| Loom – Screen Recorder & Screen Capture <span>Chrome Extension</span>        | <b>138.7 KiB</b> | <b>108.6 KiB</b> |
| chrome-extension://licbdddmkiihnedobmlmillhodjdkmb/js/recordConsoleEvents.js | 138.7 KiB        | 108.6 KiB        |

▲ Page prevented back/forward cache restoration — 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Unscored


| URL                                                                                                                             | Transfer Size | Est Savings    |
|---------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|
| Pages with cache-control:no-store header cannot enter back/forward cache.                                                       |               | Actionable     |
| https://gcctrade.duckdns.org                                                                                                    |               |                |
| Pages whose main resource has cache-control:no-store cannot enter back/forward cache.                                           |               | Not actionable |
| https://gcctrade.duckdns.org                                                                                                    |               |                |
| Back/forward cache is disabled because some JavaScript network request received resource with `Cache-Control: no-store` header. |               | Not actionable |
| https://gcctrade.duckdns.org                                                                                                    |               |                |

Failure reason

Failure type


Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

duckdns.org 1st Party



GCC trading  
 

66 81 96 75




Language Icon

```

```

...wysiwyg/gc-lan.png (gcctrade.duckdns.org)




GCC Trading

```

```

...wysiwyg/gcc-logo.png (gcctrade.duckdns.org)



GCC Trading Logo

```

```

| URL                     | Transfer Size | Est Savings |
|-------------------------|---------------|-------------|
| ...wysiwyg/gcc-logo.png |               |             |
| ...wysiwyg/gcc-logo.png |               |             |

Minify CSS — Est savings of 12 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP Unscored

| URL                                      | Transfer Size   | Est Savings    |
|------------------------------------------|-----------------|----------------|
| duckdns.org <span>1st Party</span>       | <b>21.5 KiB</b> | <b>8.7 KiB</b> |
| ...css/styles.css (gcctrade.duckdns.org) | 21.5 KiB        | 8.7 KiB        |
| Unattributable                           | <b>6.1 KiB</b>  | <b>2.9 KiB</b> |

Avoid enormous network payloads — total size was 5,545 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn](#)

66 81 96 75

| URL                                                    | Transfer Size      |
|--------------------------------------------------------|--------------------|
| duckdns.org <span>1st Party</span>                     | <b>3,448.0 KiB</b> |
| ...wysiwyg/hero-img.png (gcctrade.duckdns.org)         | 1,411.9 KiB        |
| ...css/styles-m.css (gcctrade.duckdns.org)             | 419.9 KiB          |
| ...en_US/jquery.js (gcctrade.duckdns.org)              | 401.6 KiB          |
| ...wysiwyg/home-main.png (gcctrade.duckdns.org)        | 388.8 KiB          |
| ...knockoutjs/knockout.js (gcctrade.duckdns.org)       | 379.4 KiB          |
| ...wysiwyg/home-exhib2.png (gcctrade.duckdns.org)      | 130.5 KiB          |
| ...css/styles-l.css (gcctrade.duckdns.org)             | 113.7 KiB          |
| ...wysiwyg/home-exhib3.png (gcctrade.duckdns.org)      | 102.2 KiB          |
| ...wysiwyg/home-exhibition1.jpg (gcctrade.duckdns.org) | 99.9 KiB           |
| tailwindcss.com                                        | <b>123.9 KiB</b>   |
| /3.4.17 (cdn.tailwindcss.com)                          | 123.9 KiB          |

Avoid long main-thread tasks — 2 long tasks found ^

| URL                                                                                              | Start Time | Duration      | Transfer Size |
|--------------------------------------------------------------------------------------------------|------------|---------------|---------------|
| <a href="#">Learn how to avoid long main-thread tasks</a> <span>TBT</span> <span>Unscored</span> |            |               |               |
| duckdns.org <span>1st Party</span>                                                               |            | <b>259 ms</b> |               |
| https://gcctrade.duckdns.org                                                                     | 423 ms     | 136 ms        |               |
| https://gcctrade.duckdns.org                                                                     | 1,432 ms   | 123 ms        |               |
| URL                                                                                              | Start Time | Duration      | Transfer Size |

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

66 81 96 75




## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### ARIA


- ▲ Elements with an ARIA `[role]` that require children to contain a specific `[role]` are missing some or all of those required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)



Account Settings

```
<div class="section-items nav-sections-items mage-tabs-disabled" role="tablist">
```



```
div.page-wrapper > div.sections > div.section-items > div#store.links
```

```
<div class="section-item-content nav-sections-item-content" id="store.links" data-role="content" role="tabpanel" aria-hidden="false">
```

### Failing Elements

These assistive technology, like a screen reader.

## NAMES AND LABELS


66

81

96

75

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)



header#customHeader > div.max-w-7xl > div.flex > button.md:hidden

```
<button type="button" onclick="toggleMobileMenu()" class="md:hidden focus:outline-none bg-transparent border-0" fdprocessedid="s21ry">
```

Failing Elements

▲ Image elements do not have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)



div.max-w-[1120px] > div.grid > div.bg-white > img.w-full

```

```



div.max-w-[1120px] > div.grid > div.bg-white > img.w-full

```

```



div.max-w-[1120px] > div.grid > div.bg-white > img.w-full

```

```

○ Image elements do not have [alt] attributes that are redundant text.

Failing Elements

the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored

66 81 96 75

 Instagram	<code>alt="Instagram"&gt;</code>
 Facebook	
 Instagram	Facebook
 Facebook	<code>&lt;img src="https://gcctrade.duckdns.org/media//wysiwyg/facebook.svg" alt="Facebook"&gt;</code>
 Twitter /	
 Facebook	Twitter / X
 Twitter /	<code>&lt;img src="https://gcctrade.duckdns.org/media//wysiwyg/twitter.svg" alt="Twitter / X"&gt;</code>
 LinkedIn	
 Twitter /	LinkedIn
 LinkedIn	<code>&lt;img src="https://gcctrade.duckdns.org/media//wysiwyg/linkdin.svg" alt="LinkedIn"&gt;</code>

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

Failing Elements

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

	Vendor
	<code>&lt;button class="benefits-tab active" type="button" data-slide="0" fdprocessedid="73un5d"&gt;</code>

Failing Elements

These are opportunities to improve the legibility of your content.

NAVIGATION

66 81 96 75

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)



Vendor

```
<h4 class="benefit-card-title font-bold leading-[1.25] tracking-[0px] text-[#1A3764]" style="font-family: 'Poppins', sans-serif;">
```

Failing Elements

These are opportunities to improve keyboard navigation in your application.

BEST PRACTICES

- Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) Unscored



```
body#html-body > div.modals-wrapper > aside.modal-popup
<aside role="dialog" class="modal-popup popup-authentication modal-slide
..." aria-describedby="modal-content-8" data-role="modal" data-type="popup"
...>
```

Failing Elements

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (23)

Show

NOT APPLICABLE (30)

Show

66 81 96 75



### Best Practices

#### GENERAL

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools



Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

#### Content security policy

- https://cdn.tailwindcss.com
- ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)
- ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)
- ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)
- ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)
- ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)
- ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)
- ...v20/UcC73FwrK....woff2 (fonts.gstatic.com)
- ...v24/pxiEyp8kv....woff2 (fonts.gstatic.com)
- ...v24/pxiEyp8kv....woff2 (fonts.gstatic.com)
- ...v24/pxiEyp8kv....woff2 (fonts.gstatic.com)
- ...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

66 81 96 75

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

○ **Front-end JavaScript libraries**

Issue type

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) Unscored

jQuery	3.6.0
jQuery UI	1.13.2
Underscore	1.13.2
RequireJS	2.3.7
Magento	2

Name	Version
------	---------

**TRUST AND SAFETY**

○ **Ensure CSP is effective against XSS attacks**

Issue type

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
-------------	-----------	----------

○ **Use a strong HSTS policy**

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and

66 81 96 75

Description	Directive	Severity
-------------	-----------	----------

○ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
-------------	-----------	----------

○ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
-------------	----------

PASSED AUDITS (12)

Show

NOT APPLICABLE (2)

Show



66 81 96 75

## SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

### CONTENT BEST PRACTICES

- ▲ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

- ▲ Image elements do not have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

<p>October 17, 2024 Upcoming Trade Exhibitions in</p>	<pre>div.max-w-[1120px] &gt; div.grid &gt; div.bg-white &gt; img.w-full &lt;img src="https://gcctrade.duckdns.org/media/wysiwyg/home-exhibition1.jpg" class="w-full h-[160px] object-cover rounded-lg"&gt;</pre>
<p>October 19, 2024 Highlights from the Recent</p>	<pre>div.max-w-[1120px] &gt; div.grid &gt; div.bg-white &gt; img.w-full &lt;img src="https://gcctrade.duckdns.org/media/wysiwyg/home-exhib2.png" class="w-full h-[160px] object-cover rounded-lg"&gt;</pre>
<p>October 17, 2024 Upcoming Trade Exhibitions in the GCC for 2024</p>	<pre>div.max-w-[1120px] &gt; div.grid &gt; div.bg-white &gt; img.w-full &lt;img src="https://gcctrade.duckdns.org/media/wysiwyg/home-exhib3.png" class="w-full h-[160px] object-cover rounded-lg"&gt;</pre>

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAW Failing Elements

66 81 96 75

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered.

[Learn how to make links crawlable](#)

```

HS Code Discover...
<a href="javascript:void(0)" class="mobile-menu-card">

HS Code Discover...
<a href="javascript:void(0)" class="mobile-menu-card">

Uncrawable Link

```

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (6)

Show

NOT APPLICABLE (1)

Show

📅 Captured at May 13, 2026, 10:28 AM GMT+5:30
🖥️ Emulated Desktop with Lighthouse 13.0.2
🔗 Single page session

🕒 Initial page load
⚙️ Custom throttling
🚗 Using Chromium 148.0.0.0 with devtools

Generated by **Lighthouse** 13.0.2 | [File an issue](#)